

**VCA Headquarters**

1 The Eastgate Office Centre  
Eastgate Road  
Bristol, BS3 6XX  
United Kingdom

Switchboard: +44 (0) 117 951 5151

Direct line: +44 (0) 117 952

Main Fax: +44 (0) 117 952 4103

Email: [enquiries@vca.gov.uk](mailto:enquiries@vca.gov.uk)

Web: [www.vca.gov.uk](http://www.vca.gov.uk)

**THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY**

Rev 3/94

COMMUNICATION CONCERNING THE GRANTING OF EEC TYPE APPROVAL OF A TYPE OF TYRE WITH REGARD TO ANNEX V TO DIRECTIVE 92/23/EEC, AS LAST AMENDED BY DIRECTIVE 2001/43/EC, RELATING TO TYRE/ROAD NOISE EMISSION.

EEC Type Approval No: e11\*92/23\*2001/43\*0471\*00

**SECTION I****0. General**

0.2 Name and address of applicant: Sumitomo Rubber Industries, LTD, 6-9, 3-chome, Wakino-hama-cho Chuo-ku, Kobe, Japan

0.3 Address(es) of manufacturing plant(s):

Nagoya Factory, 4-1 Shinsei-cho, Toyota-shi, Aichi, Japan

Shirakawa Factory, 1 aza-Hirokubo, oaza-Kurabeishi, Shirakawa-shi, Fukushima, Japan

Izumi-Ohtsu Factory, 9-1 Kawahara-cho, Izumi-Ohtsu-shi, Osaka, Japan

Miyazaki Factory, 3 Tohoku-cho, Miyakonojo-shi, Miyazaki, Japan

P.T. Sumi Rubber Indonesia, Wisma Indomobile, 12<sup>th</sup> Floor, Jl, Jetjen, MT Haryone Kav 8, Jakarta 13330, Indonesia

Sumitomo Rubber (Changshu) Co., Ltd., Riverside Industrial Park, Jiangsu Province Changshu Economic Development Zone, 215513 P.R. China

Sumitomo Rubber (Thailand) Co., Ltd., 7/232 Moo.6 Tambol Mabyangporn Amphur Pluakdaeng Rayong 21140 Thailand


**SECTION II****1. Additional Information**

1.1 Brand name(s) and trade description(s): FALKEN SINCERA SN828

1.2 Tyre classification: C1

An executive agency in the UK Department for Transport



- 1.3 Category of use: Normal
2. Technical service responsible for carrying out tests: Not applicable. Annex 1, item 1.3 is invoked.
3. Date of test report: 20 February 2008
4. Number of test report: JSH185844 (0471)
5. Grounds for extending EC type approval (where appropriate): Not applicable
6. Comments: This approval is valid for all tyres listed in the attachment.
7. Date and place: 25 MARCH 2008 BRISTOL
8. Signature:  M J MULVANEY
9. A list of documents making up the type-approval file lodged with the approval authority that has granted type-approval, which may be obtained on request, is attached.

JSH185844



Attachment

	Brand Name	Pattern	Tyre size Load index Speed rating
1	FALKEN	SINCERA SN828	195/70R14 91T
2	FALKEN	SINCERA SN828	185/70R14 88T
3	FALKEN	SINCERA SN828	185/70R13 86T
4	FALKEN	SINCERA SN828	175/70R14 84T
5	FALKEN	SINCERA SN828	175/70R13 82T
6	FALKEN	SINCERA SN828	165/70R14 81T
7	FALKEN	SINCERA SN828	165/70R13 79T
8	FALKEN	SINCERA SN828	155/70R13 75T
9	FALKEN	SINCERA SN828	155/70R12 73S
10	FALKEN	SINCERA SN828	145/70R13 71T
11	FALKEN	SINCERA SN828	145/70R12 69S



**VCA Headquarters**  
1 The Fairgate Office Centre  
Fairgate Road  
Bristol, BS5 6XX  
United Kingdom  
Switchboard: +44 (0) 117 951 5151  
Direct line: +44 (0) 117 952  
Main Fax: +44 (0) 117 952 4103  
Email: enquiries@vca.gov.uk  
Web: www.vca.gov.uk

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

Rev 3/94

COMMUNICATION CONCERNING THE GRANTING OF EEC TYPE APPROVAL OF A TYPE OF TYRE WITH REGARD TO ANNEX V TO DIRECTIVE 92/23/EEC, AS LAST AMENDED BY DIRECTIVE 2001/43/EC, RELATING TO TYRE/ROAD NOISE EMISSION.

EEC Type Approval No: e11\*92/23\*2001/43\*0474\*01

SECTION I

0. General

0.1 Manufacturer's name: Sumitomo Rubber Industries, LTD

0.2 Name and address of applicant: Sumitomo Rubber Industries, LTD, 6-9, 3-chome, Wakino-hama-cho Chuo-ku, Kobe, Japan

0.3 Address(es) of manufacturing plant(s):

Nagoya Factory, 4-1 Shinsei-cho, Toyota-shi, Aichi, Japan

Shirakawa Factory, 1 aza-Hirokubo, oaza-Kurabeishi, Shirakawa-shi, Fukushima, Japan

Izumi-Ohtsu Factory, 9-1 Kawahara-cho, Izumi-Ohtsu-shi, Osaka, Japan

Miyazaki Factory, 3 Tohoku-cho, Miyakonojo-shi, Miyazaki, Japan

P.T. Sumi Rubber Indonesia, Wisma Indomobile, 12<sup>th</sup> Floor, Jl, Jetjen, MT Haryone Kav 8, Jakarta 13330, Indonesia

Sumitomo Rubber (Changshu) Co., Ltd., Riverside Industrial Park, Jiangsu Province Changshu Economic Development Zone, 215513 P.R. China

Sumitomo Rubber (Thailand) Co., Ltd., 7/232 Moo.6 Tambol Mabyangporn Amphur Pluakdaeng Rayong 21140 Thailand

SECTION II


1. Additional Information

1.1 Brand name(s) and trade description(s): FALKEN SINCERA SN828

1.2 Tyre classification: C1



1.3 Category of use: Normal

2. Technical service responsible for carrying out tests: Not applicable. Annex 1, item 1.3 is invoked.
3. Date of test report: As before and 10 July 2008
4. Number of test report: As before and JSJ192899 (0474 Ext.1)
5. Grounds for extending EC type approval (where appropriate): To include additional five tyre sizes (215/65R15 96T, 205/65R15 94T, 175/65R13 80T, 155/65R14 75T and 155/65R13 73T)
6. Comments: This approval is valid for all tyres listed in the attachment.
7. Date and place: 16 JULY 2008 BRISTOL
8. Signature:  M J MULVANEY
9. A list of documents making up the type-approval file lodged with the approval authority that has granted type-approval, which may be obtained on request, is attached.

JSJ192899



Attachment

	Brand Name	Pattern	Tyre size Load index Speed rating
1	FALKEN	SINCERA SN828	195/65R15 91T
2	FALKEN	SINCERA SN828	195/65R14 89T
3	FALKEN	SINCERA SN828	185/65R15 88T
4	FALKEN	SINCERA SN828	185/65R14 86T
5	FALKEN	SINCERA SN828	175/65R14 82T
6	FALKEN	SINCERA SN828	165/65R14 79T
7	FALKEN	SINCERA SN828	165/65R13 77T
8	FALKEN	SINCERA SN828	215/65R15 96T
9	FALKEN	SINCERA SN828	205/65R15 94T
10	FALKEN	SINCERA SN828	175/65R13 80T
11	FALKEN	SINCERA SN828	155/65R14 75T
12	FALKEN	SINCERA SN828	155/65R13 73T



**VCA Headquarters**  
1 The Farington Office Centre  
Farington Road  
Bristol, BS5 6XX  
United Kingdom  
Switchboard: +44 (0) 117 951 5151  
Direct line: +44 (0) 117 952  
Main Fax: +44 (0) 117 952 4103  
Email: enquiries@vca.gov.uk  
Web: www.vca.gov.uk

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

Rev 3/94

COMMUNICATION CONCERNING THE GRANTING OF EEC TYPE APPROVAL OF A TYPE OF TYRE WITH REGARD TO ANNEX V TO DIRECTIVE 92/23/EEC, AS LAST AMENDED BY DIRECTIVE 2001/43/EC, RELATING TO TYRE/ROAD NOISE EMISSION.

EEC Type Approval No: e11\*92/23\*2001/43\*0488\*00

SECTION I

0. General

0.1 Manufacturer's name: Sumitomo Rubber Industries, LTD

0.2 Name and address of applicant: Sumitomo Rubber Industries, LTD, 6-9, 3-chome, Wakino-hama-cho Chuo-ku, Kobe, Japan

0.3 Address(es) of manufacturing plant(s):

Nagoya Factory, 4-1 Shinsei-cho, Toyota-shi, Aichi, Japan

Shirakawa Factory, 1 aza-Hirokubo, oaza-Kurabeishi, Shirakawa-shi, Fukushima, Japan

Izumi-Ohtsu Factory, 9-1 Kawahara-cho, Izumi-Ohtsu-shi, Osaka, Japan

Miyazaki Factory, 3 Tohoku-cho, Miyakonojo-shi, Miyazaki, Japan

P.T. Sumi Rubber Indonesia, Wisma Indomobile, 12<sup>th</sup> Floor, Jl, Jetjen, MT Haryone Kav 8, Jakarta 13330, Indonesia

Sumitomo Rubber (Changshu) Co., Ltd., Riverside Industrial Park, Jiangsu Province Changshu Economic Development Zone, 215513 P.R. China

Sumitomo Rubber (Thailand) Co., Ltd., 7/232 Moo.6 Tambol Mabyangporn Amphur Pluakdaeng Rayong 21140 Thailand

SECTION II

1. Additional Information

1.1 Brand name(s) and trade description(s): FALKEN SINCERA SN828

1.2 Tyre classification: C1 Reinforced



1.3 Category of use: Normal

2. Technical service responsible for carrying out tests: Not applicable. Annex 1, item 1.3 is invoked.

3. Date of test report: 7 August 2008

4. Number of test report: JSJ192899 (0488)


5. Grounds for extending EC type approval (where appropriate): Not applicable

6. Comments: This approval is valid for all tyres listed in the attachment.

7. Date and place: 8 AUGUST 2008

BRISTOL

8. Signature:



M J MULVANEY

9. A list of documents making up the type-approval file lodged with the approval authority that has granted type-approval, which may be obtained on request, is attached.

JSJ192899



Attachment

	Brand Name	Pattern	Tyre size Load index Speed rating
1	FALKEN	SINCERA SN828	175/70R14 88T
2	FALKEN	SINCERA SN828	165/70R14 85T



**VCA Headquarters**  
1 The Exchange Office Centre  
Exchange Road  
Bristol, BS5 6XX  
United Kingdom  
Switchboard: +44 (0) 117 951 5151  
Direct line: +44 (0) 117 952  
Main Fax: +44 (0) 117 952 4103  
Email: enquiries@vca.gov.uk  
Web: www.vca.gov.uk

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

Rev 3/94

COMMUNICATION CONCERNING THE GRANTING OF EEC TYPE APPROVAL OF A TYPE OF TYRE WITH REGARD TO ANNEX V TO DIRECTIVE 92/23/EEC, AS LAST AMENDED BY DIRECTIVE 2001/43/EC, RELATING TO TYRE/ROAD NOISE EMISSION.

EEC Type Approval No: e11\*92/23\*2001/43\*0489\*00

SECTION I

0. General

0.1 Manufacturer's name: Sumitomo Rubber Industries, LTD

0.2 Name and address of applicant: Sumitomo Rubber Industries, LTD, 6-9, 3-chome, Wakino-hama-cho Chuo-ku, Kobe, Japan

0.3 Address(es) of manufacturing plant(s):

Nagoya Factory, 4-1 Shinsei-cho, Toyota-shi, Aichi, Japan

Shirakawa Factory, 1 aza-Hirokubo, oaza-Kurabeishi, Shirakawa-shi, Fukushima, Japan

Izumi-Ohtsu Factory, 9-1 Kawahara-cho, Izumi-Ohtsu-shi, Osaka, Japan

Miyazaki Factory, 3 Tohoku-cho, Miyakonojo-shi, Miyazaki, Japan

P.T. Sumi Rubber Indonesia, Wisma Indomobile, 12<sup>th</sup> Floor, Jl, Jetjen, MT Haryone Kav 8, Jakarta 13330, Indonesia

Sumitomo Rubber (Changshu) Co., Ltd., Riverside Industrial Park, Jiangsu Province Changshu Economic Development Zone, 215513 P.R. China

Sumitomo Rubber (Thailand) Co., Ltd., 7/232 Moo.6 Tambol Mabyangporn Amphur Pluakdaeng Rayong 21140 Thailand

SECTION II

1. Additional Information

1.1 Brand name(s) and trade description(s): FALKEN SINCERA SN828

1.2 Tyre classification: C1 Reinforced



1.3 Category of use: Normal

2. Technical service responsible for carrying out tests: Not applicable. Annex 1, item 1.3 is invoked.

3. Date of test report: 7 August 2008

4. Number of test report: JSJ192899 (0489)


5. Grounds for extending EC type approval (where appropriate): Not applicable

6. Comments: This approval is valid for all tyres listed in the attachment.

7. Date and place: 8 AUGUST 2008

BRISTOL

8. Signature:



M J MULVANEY

9. A list of documents making up the type-approval file lodged with the approval authority that has granted type-approval, which may be obtained on request, is attached.

JSJ192899



Attachment

	Brand Name	Pattern	Tyre size Load index Speed rating
1	FALKEN	SINCERA SN828	195/65R15 95T
2	FALKEN	SINCERA SN828	175/65R14 86T